

비전정에 발생한 Hamartoma의 1례

¹
윤상원¹ · 문승일¹ · 김진옥²

A Case of Hamartoma of the Nasal Vestibule

Sang Won Yoon, MD¹, Seung Il Moon, MD¹ and Jin Ok Kim, MD²

¹Department of Otorhinolaryngology, Eulji Medical College, Seoul, ²Department of Otorhinolaryngology, College of Medicine, Wonkwang University, Iksan, Korea

- ABSTRACT -

Hamartomas are non-neoplastic malformations or inborn errors of tissue development, characterized by abnormal mixture of tissues indigenous to the part with excess of one or more of these. These tumors are rarely encountered in otolaryngological field. Recently, the authors experienced a case of hamartoma arising from the left nasal vestibule cured by surgical resection and reported with the literature review. (**J Clinical Otolaryngol 2000;11:141-143**)

KEY WORDS : Hamartoma · Nasal vestibule.

서 론

(hamartoma)

가

가

: 1999 8 25

: 2000 2 12

: , 139 - 711

1 280 - 1

: (02) 970 - 8276 · : (02) 970 - 8275

E - mail : ysw4205@eulji.or.kr

1

²⁾

3

증 례

3

1998 7

가

36

13

7

3

(Fig. 1).

가 1 × 1 × 1.7 cm (Fig. 2).

T1
0.7 cm (pedicle) 1.0 × 1.0 cm (high signal intensity) 가
30

Nd ; YAG laser 10W

4

가 1 × 1 × 1.7 cm (Fig. 2).

(Figs. 3, 4 and 5).

고 찰

1904 Albrecht¹⁾가

1953 Willis³⁾

가




Fig. 1. Preoperative finding shows protruding mass from left anterior naris. The mass is covered with normal skin.



Fig. 3. Light microscopic finding shows surface epithelium lined with squamous epithelium and sebaceous glands in dermis (H & E, × 40).




Fig. 2. Gross appearance of the mass after its removal from the nasal vestibule. The lesion, measured 1.0 × 1.0 × 1.7 cm, was soft on palpation and light pink colored.




Fig. 4. Light microscopic finding shows lobules of mature adipose tissue separated by connective tissue (H & E, × 100).




Fig. 5. Light microscopic finding shows island of cartilage (H & E, x 40).

(self - limited) 2)9 - 11)
 8)
 angiomatous,
 lipomatous,
 lymphomatous hamartoma
 MRI
 12)

중심 단어 :

REFERENCES

- 1) Abrecht E. *Uber Hamatome. Verh Dtsch Ges Pathol* 1904; 7:153-7.
- 2) Mahindra S, Daljit R, Sohail MA, Bazaz Malik G. *Hamartomas of the nose. J Laryngol Otol* 1978;92:57-60.
- 3) Willis RA. *Pathology of Tumours, 2nd ed. Butterworth, London;1953. p.662.*
- 4) Kim JB, Jeong WK, Lee SK, Kil DS, Suh JH, Oh KK, et al. *Nasopharyngeal hamartoma: A case report. Korean J Otolaryngol* 1983;26:729-31.
- 5) Choi SG, Park HS. *A case of hamartoma arising on the nasal dorsum. Korean J Otolaryngol* 1989;32:950-3.
- 6) Park JB. *A rare case of hamartoma tongue. Korean J Otolaryngol* 1975;18:57-9.
- 7) Wenig BM. *Respiratory epithelial adenomatoid hamartomas of the sinonasal tract and nasopharynx: A clinicopathologic study of 31 cases. Ann Otol Rhinol Laryngol* 1995; 104:639-45.
- 8) Terris MH, Billman GF, Pransky SM. *Nasal hamartoma: Case report and review of the literature. Int J Pediatr Otorhinolaryngol* 1993;28:83-8.
- 9) Zabro RJ. *Nasopharyngeal hamartoma: Report of a case and review of the literature. Laryngoscope* 1983;93:494-7.
- 10) Majumder NK, Venkataramaniah NK, Gupta KR, Gopalakrishnan S. *Hamartoma of nasopharynx. J Laryngol Otol* 1977;91:723-7.
- 11) Eichel BS, Hallberg OE. *Hamartoma of the middle ear & eustachian tube. Laryngoscope* 1966;76:1810-5.
- 12) Chisin R, Ragozzino NW, Flexon PB, Joseph Weber AL, Gooman ML. *MR assessment of a hamartoma of the nasal cavity. AJR* 1987;149:1083-4.

4) 5) 6) 가
 7)8)
 9)
 (antrochoanal polyp),
 (encephalocele),
 (glioma), (olfactory neuroblastoma),
 (foreign body) 8)
 (teratoma) (dermoid
 cyst) pluripotential tissues
 가