





T & T olfactometer threshold)가 5 (recognition loss), (conductive olfactory loss), (sensorineural olfactory loss), (mixed olfactory loss)

고 찰

(erosion), (metaplasia), (lamina propria)

가 (sulfur dioxide)

중심 단어 :

REFERENCES

1) Goodspeed RB, Gent JF, Catalanotto FA. *Chemosensory dysfunction: Clinical evaluation results from a taste and smell clinic. Postgrad Med* 1987;81 (1):251-60.

2) Cain WS, Gent JF, Goodspeed RB, Leonard G, Haven N. *Evaluation of olfactory dysfunction in the Connecticut Chemosensory Clinical Research Center. Laryngoscope* 1988; 98 (1):83-8.

3) Deems DA, Doty RL, Hummel T, Kratskin IL. *Olfactory function and disorder. In: Bailey BJ, Calhoun KH, Deskin RW, Johnson JT, editors. Head and Neck Surgery-Otolaryngology. 2nd ed. Philadelphia: Lippincott-Raven;1998. p.317-31.*

4) Schiffman SS, Nagle HT. *Effect of environmental pollutants on taste and smell. Otolaryngol Head Neck Surg* 1992; 106:693-700.

- 5) Lee WB, Oh HD, Suh SH. *A study on olfactory thresholds in Korean. Korean J Otolaryngol* 1989;32:1055-66.
- 6) Hiroyuki Z. *Olfactometry in Japan. Rhinology* 1983;21: 281-5.
- 7) Min YG, Jung SK. *Olfactory disturbance. In: Min YG, editor. Clinical Rhinology. 1st ed. Seoul; Ilchokak Publishing Co., Ltd;1997. p.379-94.*
- 8) Leopold D. *Physiology of olfaction In: Cummings CW, Fredrickson JM, Harker LA, Krause CJ, Schuller DE, editors. Otolaryngology-Head and Neck Surgery. 3rd ed. St. Louis; Mosby Year Book;1998. p.770-98.*
- 9) Frye RE, Schwartz B, Doty RL. *Doser-related effects of cigarete smoking on olfactory function. JAMA* 1990;263: 1233-6.
- 10) Min YG, Rhee CS, Choo MJ, Song HK, Hong SC. *Histopathologic changes in the olfactory epithelium in mice after exposure to sulfur dioxide. Acta Otolaryngol* 1994;114: 447-52.
- 11) Kim KJ, Kim YH, Na KH, Yoon MJ. *Industrial dust. In: Lee YH, editor. Industrial Hygiene Management. 2nd ed. Seoul; Sin Kwang Co., Ltd;1992. p.113-20.*