

메니에르병의 진단

김 규 성

Diagnosis of Meniere's Disease

Kyu Sung Kim, MD

Department of Otorhinolaryngology-Head & Neck Surgery, College of Medicine, Inha University, Incheon, Korea

서론

1995 (AAO-HNSF) (1)

1) , 2) , 3) , 4)

(idiopathic endolymphatic hydrops) (1)

가 ,

가 ,

1972 ' , ' (AAO-HNS)

가 , 1985 , 1995 가

가

1972년²⁾

가

진단기준의 발전 (미국 이비인후-두경부외과학회AAO-HSNF)

: , 400 - 711 3가

7 - 206 -

: (032) 890 - 3620 · : (032) 890 - 2430

E - mail : stedman@inha.ac.kr

Meniere 's disease ' ()

() 가

btype) , (SU-
 가 1985
 1985년³⁾
 (objectivity) (clarification)
 (idiopathic) '
 가
 1995
 1995년¹⁾
 (simplification) (flexibility)
 가
 (scale)
 가 ' certain, definite,
 possible, probable ' (Table 1)
 가
 ' certain ' ' definite '
 (idiopathic syndrome) '
 가

Table 1. Diagnosis of Meniere's disease

Certain Meniere's disease
 Definite Meniere's disease, plus histopathologic confirmation

Definite Meniere's disease
 Two or more definitive spontaneous episodes of vertigo 20 minutes or longer
 Audiometrically documented hearing loss on at least one occasion
 Tinnitus or aural fullness in the treated ear
 Other causes excluded

Probable Meniere's disease
 One definitive episode of vertigo
 Audiometrically documented hearing loss on at least one occasion
 Tinnitus or aural fullness in the treated ear
 Other causes excluded

Possible Meniere's disease
 Episodic vertigo of the Meniere type without documented hearing loss, sensorineural hearing loss, fluctuating or fixed, with dysequilibrium but without definitive episodes

Other causes excluded
 **Only patients in the definite or certain categories should be reported as having Meniere's disease

가 가 1995
 AAO - HNSF
 미국 이비인후-두경부외과학회(AAO-HNS)의
 진단기준(1995년)¹⁾
 1995 -
 가 가
 ' idiopathic syndrome of endolymphatic hydrops ' , ' endolymphatic hydrops '
 어지럼
 가 20

() 가 , ' 가 , ' 가 , ' (Table 1) ' probable ', ' possible '

(Meniere type)

난 정

.(' definite ' 가 , .) 가 (3~75%) 가

3 kHz 가 0.5, 1, 2, 가 . 0.25, 0.5, 가 1 kHz 1, 2, 3 kHz 15 dB , 0.5, 1, 2, 3 70 dB , 50% kHz 20 dB , 가 25 dB 10 dB 15% 가 , 가 가

가 가 . 1983 Schuknecht & Gulya⁴⁾ , ' , ' , '

이명 및 이충만감

가 가 , 1) (progr- essive) , 2)

기타 진단적 고려점

1) , 2) , 3) , 가

3) 1) 2) 3) (irritative) (paralytic) (recovery)

그 외의 증상

순음청력검사 가 가 가

검 사

가 가 가 41 74% (golden standard 60 dB 6)

전기약우도

가 (tone burst)가 summing potential (- SP) 가가

